

think process!



ROBOMATIC®

Automatic tray loading robot

think process!

ROBOMATIC®



WP SmartControl

- Easy operation



WP GreenEnergy

- Energy-efficient line operation

BENEFITS

- Simplification of operational procedures
- Compact design, little floor space required
- Smooth and vibration-free processing
- Takes over heavy, monotonous work
- Additional tray allows changing the baking trolley without system stop
- Array of baking trolley versions possible
- Change of baking trolley possible in less than 15 seconds
- Easy operation with the WP NAVIGO II PROFI-CONTROL control system
- Rapid amortization

FEATURES:

- Robomatic conveys
 - borderless trays
 - trays with two borders
 - trays with three borders
 - proofing boards with the dimensions 580 x 780 mm and 580 x 980 mm
- Default depositing position can be adjusted
 - green mode
 - pre-proofing cabinet
 - final proofing cabinet
- All 3 stations can be operated with moveable version (optional)

OPTIONS

- Attachment to system side right or left
- Baking trolley entry right or left
- Further board/tray sizes on request
- Moveable version
- Attachment to third-party systems





**TAKES OVER THE HANDLING OF
BOARDS OR TRAYS UPSTREAM OF
BAKING SYSTEM FOR SMALL BAKERY ITEMS**

- BORDERLESS TRAYS
- TRAYS WITH TWO BORDERS
- TRAYS WITH THREE BORDER
- PROOFING BOARDS

SPECIAL EQUIPMENT:

- Unloading of baking trolley after baking
- Loading and unloading of conveying systems
- Baking trolley changer (auxiliary device) for continuous production
- Compressor

CONTROL SYSTEM

- WP NAVIGO II PROFI-CONTROL
- Fully automatic operation
- Simple operation
- 99 baking trolley types programmable and retrievable



ROBOMATIC®

Technical data	
Hourly output trays/hr	240
Weight	450 kg gross/350 kg net
Dimensions (L x W x H) in mm	2,850 x 1,050 x 2,900
Required ceiling height in mm	min. 2,950
Electr. connected load rating	3 x 400 V, 50 Hz
Power consumption	1.7 kVA
Compressed air connection in "	1/4
Compressed air requirements	approx. 5 Nm ³ /hour at 6 to 10 bar

WERNER & PFLEIDERER LEBENSMITTELTECHNIK GMBH

von-Raumer-Str. 8-18 // D-91550 Dinkelsbühl // Germany // Phone +49 9851-905-0 // Fax +49 9851-905-342 //
info@wp-l.de // www.wp-l.de // www.wpbakerygroup.com